4.19


SEPARATION SHEET
BEMALASTIC 1213 BDM REINFORCED
ELASTOMERIC REINFORCEMENT
CONCRETE SLAB
CAP
SEAMLESS SPUN ALUMINUM FLASHING
ROOF ANCHOR BASE
CONCRETE TOPPING ON INSULATION
300mm
DATE REVISION BY
DATE OCT27 1998
DRAWN MA
CHECKED
APPROVED
PRINTED
ROOF ANCHOR
McAsphalt Industries Ltd.
McAsphalt
8800 SHEPPARD AVE. EAST SCARBOROUGH ONTARIO, M1B 5R4 (416) 281-8181
DRAWING #: ELASTO10

4.20


ASPHALT CONCRETE SURFACE COURSE
30.0mm (MIN.) FOR INTERIOR PARKING DECK
40.0mm (MIN.) FOR EXTERIOR PARKING DECK
GLASS SEPARATION SHEET
BEMALASTIC 1213 BDM
1:100 SLOPE
CONCRETE DECK
FABRIC REINFORCEMENT OR ELASTOMERIC REINFORCEMENT
DATE REVISION BY
DATE FEB 25 1998
DRAWN MA
CHECKED
APPROVED
PRINTED
PARKING DECK
BEMALASTIC 1213 WATERPROOFING SYSTEM
McAsphalt Industries Ltd.
McAsphalt
8800 SHEPPARD AVE. EAST SCARBOROUGH ONTARIO, M1B 5R4 (416) 281-8181
DRAWING #: BEMAL05