4.17


BEMALASTIC 1213 BDM
REINFORCED
ELASTOMERIC
REINFORCEMENT
CONCRETE SLAB
BALLAST
FILTER FABRIC
INSUL ATION
SEPARATION SHEET
75mm
MAX.
150mm
MIN.
50mm
MAX.
150mm
MIN.
DATE
REVISION
BY
DATE OCT27 1998
DRAWN MA
CHECKED
APPROVED
PRINTED
CONCEALED
EXPANSION
JOINT
McAsphalt Industries Ltd.
Mc Asphalt
8800 SHEPPARD AVE. EAST
SCARBOROUGH
ONTARIO, M1B 5R4
(416) 281-8181
DRAWING #: ELASTOO8

4.18


CONCRETE WALL
METAL FLASHING
SEPARATION SHEET
BEMALASTIC 1213 BDM
REINFORCED
ELASTOMERIC REINFORCEMENT
LOOPED INTO JOINT
BALLAST
CONTINUOUS
FIXATION BAR
150mm
MIN.
FILTER FABRIC
INSULATION
150mm
MIN.
CONCRETE SLAB
DATE
REVISION
BY
DATE OCT27 1998
DRAWN MA
CHECKED
APPROVED
PRINTED
EXPANSION
JOINT AT
CHANGE IN
PLANE -
Double Ply
Assembly
McAsphalt Industries Ltd.
Mc Asphalt
8800 SHEPPARD AVE. EAST
SCARBOROUGH
ONTARIO, M1B 5R4
(416) 281-8181
DRAWING #: ELASTOO9